

**OFFICE OF THE EXECUTIVE ENGINEER (CIVIL)
CONNAUGHT PLACE DIVISION, NEW DELHI MUNICIPAL COUNCIL
16th FLOOR, ROOM.NO. 1611, PALIKA KENDRA, NEW DELHI-110001**

NO. EE (CP)/D/592/2015

Dated: - 22/12/2015

SUBJECT:- "SUPPLYING AND INSTALLATION OF OUTDOOR FITNESS EQUIPMENTS AT VARIOUS LOCATION IN NDMC AREA" : REPLIES TO THE QUERIES RAISED IN PRE-BID MEETING HELD ON 16.12.2015.

| S. No. | Queries to RFP Clause | Suggestions / Clarification | Reply |
|--|---|---|---|
| Queries from M/s Radhey Mohan International (Reference letter no. RNI/2015-16/NDMC/Outdoor Gym dated 10.12.2015). | | | |
| 1 | <p>As per SI. No. 2.1.5 "The cost of each outdoor fitness equipment has to be quoted inclusive of all the taxes and comprehensive insurance for supplying and installation (including the required foundation etc.) of outdoor fitness equipment at various location in NDMC area with one year warranty and AMC in Annexure-6 of RFP. Nothing will be paid extra on quoted rate"</p> <p style="text-align: center;">'AND'</p> <p>2.1.7, point No. (C) "The successful bidder / contractor will get insured all the outdoor fitness equipment from reputed insurance company every year in advance and</p> | <p>A. No insurance company covered any property/ products which has no security and in public place, and as per list all the sites are general public parks without any lock and key status, they will only consider lock and key premises/ Products with proper security for the issuance of any policy only RWA Parks with special conditions would cover</p> | <p>After the discussions, the clause 2.1.5 is modified as under:-</p> <p>"The cost of each outdoor fitness equipment has to be quoted inclusive of all the taxes (Excluding Service Tax) for supplying and installation of outdoor fitness equipment and for foundation of each equipment at various location in NDMC area with one year warranty and AMC in Annexure-6 of RFP. Nothing will be paid extra on quoted rate".</p> <p>The service tax shall be reimbursed based</p> |

| S. | Queries to RFP clause | Suggestions / Clarification | Reply |
|----|--|---|--|
| | <i>submit the insurance certificate/documents to NDMC”.</i> | <p>the requirement for issuance the policy not in the parks.</p> <p>B. Once the product sold out to any customer/ Department then no private supplier has the right to get the insurance done on department behalf also its valid only for one calendar year and premium depends of their depreciation cost too.</p> | <p>on submission of receipt from the Service Tax Department for the actual payment made in this regards.</p> <p>Clause 2.1.7 (c)- deleted</p> <p>Based on amendment made in clause 2.1.5 above the clause 2.1.7 (b) is amended as under:-</p> <p>All the levies such as Income Tax, Cess and VAT etc. imposed by Govt. of India / Govt. of NCT of Delhi time to time will be deducted from running payments.</p> |
| 2 | <p>As per SI. No. 2.1.7 PAYMENT TERMS point SI. No. (e) <i>“The cost of consumable parts of each fitness equipment for 2nd, 3rd, 4th and 5th year shall be paid extra as per the actual consumption subject to the maximum 10% of that fitness equipment, if more such parts are required for service ability of the fitness equipment, then the same shall be provided by the bidder/contractor himself on his own cost and nothing will be paid extra. The cost for consumable like oiling greasing polishing, painting and denting, welding, nut</i></p> | <p>We suggest that you have to simplify the method of AMC with or without spare parts whatever you wish too, be allowing us to give your fix price / percentage for the AMC including labour, spare and consumable parts whatever it is on yearly basis instead of calculating and maintaining the unnecessary record, aim are very clear that is to maintain the installed</p> | <p>The suggestion is accepted. The clause 2.1.7 (e) is amended as under:-</p> <p>The bidder / contractor shall quote their rates for AMC for fitness equipment in form of percentage of value of fitness equipment for comprehensive maintenance for 2nd, 3rd, 4th and 5th year separately including all the required parts, consumable like oiling greasing polishing, painting and denting, welding, nut and bolts etc. The quoted rate for</p> |

| S. No. | Queries to RFP clause | Suggestions / Clarification | Reply | | | | | | | | |
|--------|---|---|---|---|---|--|--|--|---|----|----|
| | <i>and bolts etc has to be included in the cost of AMC”.</i> | goods till 5 year of period- so please consider. | AMC shall be including all taxes (excluding service tax), maintenance and repairing spares, labour charges etc. Nothing will be paid extra for AMC for keeping the equipments in functional conditions at all time. | | | | | | | | |
| 3 | As per your SI. No. 2.5 Heading EVALUATION OF TECHNICAL BID sub Heading SI. No. 2.5.1, SI. No. D, “Experience of executing similar work of outdoor fitness equipment in last three year, having weight age of 25 Marks, & last Point “Number of Annual Maintenance work for outdoor fitness equipment more than three years old” | The first outdoor gym was launched / installed Delhi/ North India by NDMC itself in the year 2014, so it is impossible to obtain previous experience in the field of only outdoor gym for last three years, if you want the same experience in the field of fitness equipment then we can submit the same otherwise we request you to kindly review the term again. | The evaluation criteria explained in details. No change is required except for Part ‘D’ regarding the experience of similar work. The clause 2.5.1 (D) for (Evaluation of Technical Bid) is modified as under:- <table border="1" data-bbox="1594 762 2195 1289"> <thead> <tr> <th data-bbox="1594 762 1673 914">D</th> <th data-bbox="1673 762 1959 914">Experience of executing similar works of outdoor fitness equipment in last three years (25)</th> <th data-bbox="1959 762 2082 914"></th> <th data-bbox="2082 762 2195 914"></th> </tr> </thead> <tbody> <tr> <td data-bbox="1594 914 1673 1289"></td> <td data-bbox="1673 914 1959 1289"> <ul style="list-style-type: none"> • Number of similar outdoor fitness equipment installed in India (15) a. 300 equipments (15) b. 200 equipments (10) c. 100 equipments (5) • Average consolidated turnover (10) ≥ 5 Crore (10) ≥ 2 Crore to < 5 Crore (4) </td> <td data-bbox="1959 914 2082 1289">15</td> <td data-bbox="2082 914 2195 1289">10</td> </tr> </tbody> </table> | D | Experience of executing similar works of outdoor fitness equipment in last three years (25) | | | | <ul style="list-style-type: none"> • Number of similar outdoor fitness equipment installed in India (15) a. 300 equipments (15) b. 200 equipments (10) c. 100 equipments (5) • Average consolidated turnover (10) ≥ 5 Crore (10) ≥ 2 Crore to < 5 Crore (4) | 15 | 10 |
| D | Experience of executing similar works of outdoor fitness equipment in last three years (25) | | | | | | | | | | |
| | <ul style="list-style-type: none"> • Number of similar outdoor fitness equipment installed in India (15) a. 300 equipments (15) b. 200 equipments (10) c. 100 equipments (5) • Average consolidated turnover (10) ≥ 5 Crore (10) ≥ 2 Crore to < 5 Crore (4) | 15 | 10 | | | | | | | | |
| 4 | As per your SI. No. 2.7 heading INSTALLATION OF OUTDOOR FITNESS EQUIPMENT ON | The supplier will work under the supervision of your competent | No change s allowed. | | | | | | | | |

| S. | Queries to RFP clause | Suggestions / Clarification | Reply |
|----|---|--|---|
| | <p>STRONG FOUNDATION. SI. No. 2.7.3 <i>“The structural design of the cement concrete foundation of all the outdoor fitness equipment shall be vetted from reputed institutions like IIT’s DTU, NCB-Ballabgarh etc”.</i></p> | <p>qualified engineer for all civil foundation work so we don’t think that any other agency required for any testing / certification for these small foundations whereas the supplier also submitting the performance guarantee for further 5 years to take care of your all equipment including foundations then why other / third party required for this job.</p> | |
| 5 | <p>As per your SI. No. 2.7 heading INSTALLATION OF OUTDOOR FITNESS EQUIPMENT ON STRONG FOUNDATION. SI. No. 2.7.4 <i>“After the installation of the outdoor fitness equipment, a safety certificate is to issued by the Third Party Quality Assurance agency or reputed approved agency for certification for safety installation of outdoor fitness equipment for open area for general public and the equipments are installed as per the required standard / specification of the manufacturer”.</i></p> | <p>The above point no 4 has all detail for this issue, once the foundation work would over and equipment installed under your own technical team/ engineers then why other department / agency certificate required for its completion.</p> | <p>No change is allowed and the following is added:- Third Party Quality Assurance agency may be specified by the manufacturer for their products / equipments.</p> |

| S. No. | Queries to RFP clause | Suggestions / Clarification | Reply |
|--------|--|--|---|
| 6 | <p>As per your SI. No. 2.9.7 heading COMPREHENSIVE REPAIR AND PENALTY CLAUSE, point SI. No. C, <i>“In case of non attending the complaints within the stipulated time, a penalty of Rs. 500/- per day for each equipment will be deducted from the running bills, in case of vandalism or theft the cost of the parts of equipments will be claimed by the vendor from the insurance company, Time allowed for repair / replacement will be 30 days for the parts which are not readily available, irrespective of the settlement of the claim with the insurance company”.</i></p> | <p>Insurance is a judicial matter, all the locations and the equipments are pertaining and related to the NDMC and supplier would be only a service provider to the department, we suggest that the insurance will be done by NDMC itself, and NDMC claim directly to the insurance company in the case of vandalism and theft, and supplier is to provide the spares / theft or broken part of equipment or complete equipment as per the decision of the NDMC.</p> | <p>The clause 2.9.7 (c) is modified as under:- “In case of non attending the complaints within the stipulated time, a penalty of Rs. 500/- per day for each equipment will be deducted from the running bills, in case of vandalism or theft, the requisite action will be taken as per law.</p> |
| 7 | <p>As per your SI. No. 3.4 heading BID SECURITY SI. No. 3.4.1 <i>“All proposal submitted in response to the request for proposal document shall be accompanied by a Bid security of Rs. 6,00,000/- (Six Lac) in the form of Demand Draft / Bank Guarantee from a scheduled Bank Pledged in favour Secretary NDMC”.</i></p> | <p>Bid Security Amount of Rs. 6,00,000/- (Six Lac) is to high, in fact the tender value is too low compare to the EMD in comparison of your demand of 18 sites / set, we request you have to reconsider the amount of EMD for the tender. Please also specify the total project value, as</p> | <p>No change is allowed.</p> |

| S. o. | Queries to RFP clause | Suggestions / Clarification | Reply |
|----------|---|---|--|
| | | compare to the EMD, the value of the project is to be 300.00 lac. | |
| 8 | <p>As per your SI. No. 3.11 heading ACCEPTANCE OF OFFER SI. No. 3.11.6 <i>“The contactor whose bid is accepted will also be required to furnish either copy of application / license / registration or proof of applying for obtaining labour license registration with EPFO, ESIC and BOCW Welfare Board and program Chart (Time & Progress) within a period of 15 (Fifteen) days from the date of issue of letter of award”.</i></p> | <p>The firms having more than 20 workers are entitled for the registration in EPFO and ESIS as per Govt. by laws and in this work/ tender the total required man power is not more than 10 workers because all these items are imported and supplier need install and maintain only, again registration required under BOCW Welfare Board is for civil contactor only not for the supplier as this is a specialized job for the supply and installation of an outdoor gym and its does not comes under civil construction, we are requesting you kindly review this term.</p> | <p>The suggestion is not accepted. However, the necessary amendments have been made in clause- 3.11.6, which may please be read as under:-</p> <p>“The contactor whose bid is accepted is required to furnish either copy of application / license / registration or proof of applying for obtaining labour license registration with EPFO, ESIC and BOCW Welfare Board and program Chart (Time & Progress) within a period of 15 (Fifteen) days from the date of issue of letter of award”.</p> <p>The labour component is considered as maximum 2 (two) percent of the total value of work. The reimbursement for the applicable share of Principal Employer (NDMC) on account of EPFO & ESIC shall be made accordingly. Fortnightly labour report shall be submitted by the Fitness</p> |

| S. | Queries to RFP clause | Suggestions / Clarification | Reply |
|----|-----------------------|-----------------------------|-------|
|----|-----------------------|-----------------------------|-------|

| | | | Equipment Provider or contractor. |
|---|--|---|-----------------------------------|
| 9 | <p>As per your SI. No. 3.12 heading PERFORMANCE SECURITY SI. No. 3.12.1 and 3.12.3 <i>“The bidder has to submit the requisite interest free performance security equivalent to 10% (Ten percent) of total awarded amount for the project in the form of Bank Guarantee / Demand Draft from a scheduled bank with in 7 (Seven) days from the date of issue of the LoA and the validity of the performance security shall be up to the end of the contract period”</i></p> <p style="text-align: center;">“And”</p> <p>3.12.3 <i>“The performance security 10% of the total gross award of work furnished by the successful bidder will be released after successful completion of maintenance period (AMC period) i.e end of 5th year from the completion of Part-A”</i></p> | <p>As per your tender terms the tender is split in 2 parts i.e Part A & Part B.</p> <p>The Part A contains the maximum 65% value of the tender in which the cost of equipment and foundation work with one year warranty where the Part B contains the rest of the value of the tender, containing the 2nd, 3rd, 4th & 5th year maintenance of the equipment, As per your payment terms the department will release only the payment of Part A which is only 65% of the tender value and the payment of Part B is released quarterly basis. Our view if the department would released the payment for Part A i.e 65% with one year warranty after the completion of work then supplier should be allowed</p> | No change is allowed. |

| S. o. | Queries to RFP clause | Suggestions / Clarification | Reply |
|----------|--|--|--|
| | | to submit the PBG for one year only and every year of AMC renewal asked for fresh PBG for that particular year only instead of asked for consolidated PBG for five year. | |
| 10 | <p>As per your SI. No. 5 details of IEMS (INDEPENDENT EXTERNAL MONITOR)</p> <p><i>“NDMC has adopted integrity pact for all its contracts for Rs. 50,00,000/- (Rupees Fifty Lac) and above it is mandatory for the bidder / contractor to sign the integrity pact as per Annexure-10, if failed to submit, then the proposal shall not be considered”.</i></p> | Please confirm at which stage IEMS pact will be submitted, it will be submitted with the tender technical bid or after issue of the letter of acceptance. | It is clarified that the integrity pact is required to be submitted at the time of submission of technical bid. |
| 11 | <p>As per Schedule-B “GENERAL SPECIFICATION FOR OUTDOOR FITNESS EQUIPMENT”</p> <p>Subject:- <i>“Seat and plastics – LLDPE infiltration of anti-ultraviolet, anti static, de coloration element passing strength, smooth surface, security assurance, weather resistance etc”.</i></p> | Using LLDPE seats of outdoor gym equipment public area would create vandalism and it may also increase the maintenance cost of the equipment, please allow the Metal Sheets welded through main structure for maximum integrity and vandalism proof design and three layer U. V resistant powder coating for | The Schedule- B (General specifications for Outdoor fitness equipment) under the subject ‘Seat and plastics’ be read as under:- LLDPE / Metal with any protection / composite material with any protection infiltration of anti-ultraviolet, anti static, de coloration element passing strength, smooth surface, security assurance, weather resistance etc”. |

| S. o. | Queries to RFP clause | Suggestions / Clarification | Reply |
|----------|--|---|---|
| | | maximum life and good appearance, which will also improves the workability / serviceability to the user. | |
| 12 | <p>As per Annexure-2 Point Sl. No. (f) “Registration no of Manufacturing License”</p> | <p>We are supplying High Quality Imported Outdoor Gym Equipment, the manufacturing unit of the equipments is outside the India, we will submit our Authorized dealership certificate along with principal manufacture process with all related documents to the department, please accept the same instead the manufacturing license.</p> | <p>The Annexure-2 Sl. No.1 (f) is modified as under:- Registration number for manufacturing license and Authorized dealership certificate from the Principal Manufacturing Company are required.</p> |
| 13 | <p>As per Annexure-6 Format of Proposal, part B “FINANCIAL OFFER FOR ANNUAL MAINTENANCE CONTRACT for 2nd to 5th year” “The format for commercial bid including AMC are not practical, we suggest please allow the bidder to the quote the consolidated offer inclusive all Tax, installation, spares and labour charges if any for each items including the charges of AMC in percentage or fixed for another four years”.</p> | <p>We would like to bring in your notice for the procurement of best outdoor fitness equipments you have to ask the bidder to provide the Manufacturing Procedure for outdoor gym equipments, Robotic welded structure frame/ component for accurate bio mechanics and certificate related to powder coating and painting of</p> | <p>Already explained at Sl. No. 2 above.</p> |

| S. | Queries to RFP clause | Suggestions / Clarification | Reply |
|---|---|--|---|
| | | outdoor fitness equipment, high and low temperature certificate etc. | |
| KOOCHIE PLAY SYSTEMS PVT. LTD (Reference letter dated 14.12.2015). | | | |
| 14 | Refer clause 2.7.3 <i>“The structural design of the cement concrete foundation of all the outdoor fitness equipment shall be vetted from reputed institutions like IIT’s DTU, NCB-Ballabhgarh etc”.</i> | Please confirm as to who is going to get the cement concrete foundation vetted by reputed organizations such as IIT etc. | No change is allowed. |
| 15 | Refer clause 2.7.4 <i>“After the installation of the outdoor fitness equipment, a safety certificate is to issued by the Third Party Quality Assurance agency or reputed approved agency for certification for safety installation of outdoor fitness equipment for open area for general public and the equipments are installed as per the required standard / specification of the manufacturer”.</i> | Please confirm which are the third party quality assurance agency or reputed approved agency for certification for safely installation of outdoor fitness equipment. | Already explained above at Sl. No. 5. |
| 16 | The Fitness Equipment Provider / Contractor at his own cost shall take the necessary statutory certificates and approvals. | Please let us know what are the necessary statutory certificates and approvals. | The statutory certificates and approvals shall be as per the Government rules time to time. |
| 17 | Time allowed for completion of work is 100 days as per RFP. | We request you to increase the number of days allowed for complete installation to 120 days. | No change is allowed. |

| S. o. | Queries to RFP clause | Suggestions / Clarification | Reply |
|----------|---|---|--|
| 18 | | We request you to provide space for safe keeping of all equipment and other things required for installation at each site. | It is clarified that the bidder shall have his own arrangements for safe keeping of all equipment and other things required for execution of the work. |
| 19 | <p>Refer clause 2.2.4 (ii) financial Capability</p> <p>a) The bidder should have average annual financial turnover of Rs. 2 Crores from the health equipments work during the last three years ending up to 31st March 2015.</p> | Outdoor fitness equipment being a relatively new product category in India, we request you to consider combined annual turnover for both children play equipment and outdoor fitness equipment. | <p>The clause 2.2.4 (ii) regarding financial capability is modified as under:-</p> <p>a) The bidder should have average consolidated financial turnover of Rs. 2 Crores from the health fitness equipments work during the last three years ending up to 31st March 2015.</p> |
| 20 | <p>Refer clause 2.1.7 Payment Terms</p> <p>a) Running payments will be made as per progress of work.</p> | It is mentioned that running payments will be made as per progress of work. Please let us know what kind of documentation required for release of bills. | The running payment will be made as per progress of work. |
| 21 | <p>Refer clause 2.9.7 COMPREHENSIVE REPAIR AND PENALTY CLAUSE</p> <p>The Fitness Equipment Provider / Contractor shall bear the cost of day-today repairs and maintenance including cost of all the parts as defined herein. All repairs shall</p> | We request you to consider small complaints to be attended within 3 days and major complaints to be attended within 7 days. | <p>The clause 2.9.7 (a) & (b) regarding the Comprehensive Repair And Penalty Clause is modified as under:-</p> <p>The Fitness Equipment Provider / Contractor shall bear the cost of day-today repairs and</p> |

| S. No. | Queries to RFP clause | Suggestions / Clarification | Reply |
|---|--|---|--|
| | <p>be the responsibility of Bidder. The contractor will keep sufficient stock of the spares required frequently to attend the complaint within reasonable time.</p> <p>a. Small Complaints to be attended within 24 hours.</p> <p>b. Major complaints to be attended within 3 days.</p> | | <p>maintenance including cost of all the parts. All repairs shall be the responsibility of Bidder. The contractor will keep sufficient stock of the spares required frequently to attend the complaint within reasonable time.</p> <p>a. Small Complaints to be attended within 24 hours</p> <p>b. Major complaints to be attended within 7 days.</p> |
| GANESH GREENZ VALSONS (Reference letter dated 14.12.2015). | | | |
| 22 | <p>Point 2.1.2 <i>“Bidder must provide all the details / information regarding the safety precautions for the users for all the outdoor fitness equipments and also inform the authorized/reputed agency available in Delhi/NCR for certifications of the installed outdoor fitness equipments in NDMC area as per the relevant standard/specifications”.</i></p> | <p>In RFP it is mentioned provide information about authorized/reputed agency available Delhi and NCR for certification of the installed outdoor equipments.</p> <p>Please elaborate on this.</p> | <p>Already explained above. No further change is allowed.</p> |
| 23 | <p>Point 2.1.7 C & B (Payment Terms)</p> <p>2.1.7 c <i>“The successful bidder / contactor will get insured all the outdoor fitness equipment from reputed insurance company every year in advance and submit</i></p> | <p>In RFP it is mentioned to quote the rates including 5 years AMC & spare consumable. How will one define or avoid mishandling which leads to</p> | <p>Clause 2.1.7 (c) is deleted. Clause 2.1.7 (b) is modified at Sl. No. 1 above.</p> |

| S. o. | Queries to RFP clause | Suggestions / Clarification | Reply |
|----------|---|---|--|
| | <p><i>the insurance certificate/documents to NDMC”.</i></p> <p style="text-align: center;"><i>“And”</i></p> <p>2.1.7 b <i>“All the levies such as Tax Cess, EPS, ESIC etc. and service Taxes imposed by Government of India/ Government of NCT of Delhi time to time will be deducted from running payments”.</i></p> | <p>damage to the equipments thereby requiring maintenance. In that case who will bear extra cost of spare.</p> | |
| 24 | <p>Point 2.1.7 G <i>“The complete payment for Part-A shall be made after completion of Part-A and after deduction of all mandatory deduction mentioned herein, subject to 65% (sixty five percent) of the total awarded value of the project or cost of Part-A, whichever is less. The payment for Part-B shall be made in quarterly basis after deduction of all mandatory deduction mentioned herein”.</i></p> | <p>Why there was restriction of conditions in payment of part-A</p> | <p>Explained and no change is allowed.</p> |
| 25 | <p>Point 2.1.9 General Terms & conditions <i>“Contractor is required to first obtain NDMC’s written approval on his proposed drawings and specifications of all plans. If NDMC is not satisfied and raises any objections, the contractor shall be required to appropriately amend/ modify his scheme / plans within a reasonable time frame and seek NDMC’s approval once again. The</i></p> | <p>As per RFP it is asked to get permission & approval for installation but we accept the work order as written approval.</p> | <p>No change is allowed.</p> |

| S. No. | Queries to RFP clause | Suggestions / Clarification | Reply |
|--------|---|---|---|
| | <p><i>deputed engineers of NDMC will have full and unfettered access to inspect and check the materials before and after installation. All instructions by them in this regard will be complied with in full and within time stipulated by the engineer-in-charge. No claim or compensation will be sought by the contractor on this account”.</i></p> | | |
| 26 | <p>Point 2.2 (ELIGIBILITY CRITERIA) 2.2.3 (iv) <i>“A certified copy of current memorandum and articles of associates or other relevant constitutional document (where relevant) and those for knowing the stake of at least 26% (twenty six percent) in the consortium as stipulated in the above para shall be submitted by the bidder.</i></p> | <p>As per the RFP it is restricted to in case of consortium that each member should have a stake holding of 26% but in other organizations they ask only for lead member stake holding percentage. Then why you asking for this? If the financial criteria would be fulfilled by lead member then it should not be necessary.</p> | <p>No change is allowed.</p> |
| 27 | <p>Point 2.2.4 (ii)a (Financial capability) <i>“The bidder should have average annual financial turnover of Rs. 2 crores from the health equipments works during the last three years ending up to 31st March 2015”.</i></p> | <p>The average turnover will calculated jointly, how you decide turnover for health works?</p> | <p>Already explained at Sl. No. 19 above.</p> |
| 28 | <p>Point 2.2.4 (i)a (Technical capability) <i>“Bidder or</i></p> | <p>If the participating firm is from</p> | <p>The clause 2.2.4 (i) (a) Technical capability is</p> |

| S. o. | Queries to RFP clause | Suggestions / Clarification | Reply |
|----------|-----------------------|-----------------------------|-------|
|----------|-----------------------|-----------------------------|-------|

| | <p><i>consortium must be a registered Indian company having office in Delhi / NCR”.</i></p> | <p>outside Delhi, whether it is acceptable to give declaration for office in Delhi.</p> | <p>modified as under:- “Bidder or consortium must be a registered Indian company. An under taking for registration with VAT Department in Delhi and having office in Delhi are required before signing of the agreement.</p> | | | | | | | | | | | | | | | | | | | | | | | | |
|--------|--|---|---|---------------|----------------|---|--|--|--|--|--|----|--|---|--|--|--|--|--|---|--|--|---|----|--|--|--|
| 29 | <p>Point 2.5 EVALUATION OF TECHNICAL BID 2.5.1 The following criteria, but not restricted thereto, will be used to evaluate Technical bid for obtaining Technical Score:</p> <table border="1" data-bbox="324 687 1032 1401"> <thead> <tr> <th data-bbox="324 687 398 762">S. No.</th> <th data-bbox="398 687 797 762">Parameters / Particulars</th> <th data-bbox="797 687 920 762">Maximum Marks</th> <th data-bbox="920 687 1032 762">Marks Obtained</th> </tr> </thead> <tbody> <tr> <td data-bbox="324 762 398 837">A</td> <td data-bbox="398 762 797 837">Safety Standard and Quality Certification (25)</td> <td data-bbox="797 762 920 837"></td> <td data-bbox="920 762 1032 837"></td> </tr> <tr> <td data-bbox="324 837 398 1214"></td> <td data-bbox="398 837 797 1214"> <ul style="list-style-type: none"> Outdoor Fitness Equipment shall be confirmed to DIN / ASTM / European Standard / BIS, etc. Outdoor Fitness Equipments shall be manufactured from ISO:9001 / ISO:14001 certified company. Third Party Certification by International Agency such as IPEMA, TUV, CPSC etc. for independent safety testing and certification. </td> <td data-bbox="797 837 920 1214">10</td> <td data-bbox="920 837 1032 1214"></td> </tr> <tr> <td data-bbox="324 1214 398 1273">B</td> <td data-bbox="398 1214 797 1273">Design, durability & serviceability (25)</td> <td data-bbox="797 1214 920 1273"></td> <td data-bbox="920 1214 1032 1273"></td> </tr> <tr> <td data-bbox="324 1273 398 1332"></td> <td data-bbox="398 1273 797 1332">Material and reliable resistance mechanics</td> <td data-bbox="797 1273 920 1332">5</td> <td data-bbox="920 1273 1032 1332"></td> </tr> <tr> <td data-bbox="324 1332 398 1401"></td> <td data-bbox="398 1332 797 1401">Design, aesthetics, Vandalism proof Design and weather resistance</td> <td data-bbox="797 1332 920 1401">10</td> <td data-bbox="920 1332 1032 1401"></td> </tr> </tbody> </table> | S. No. | Parameters / Particulars | Maximum Marks | Marks Obtained | A | Safety Standard and Quality Certification (25) | | | | <ul style="list-style-type: none"> Outdoor Fitness Equipment shall be confirmed to DIN / ASTM / European Standard / BIS, etc. Outdoor Fitness Equipments shall be manufactured from ISO:9001 / ISO:14001 certified company. Third Party Certification by International Agency such as IPEMA, TUV, CPSC etc. for independent safety testing and certification. | 10 | | B | Design, durability & serviceability (25) | | | | Material and reliable resistance mechanics | 5 | | | Design, aesthetics, Vandalism proof Design and weather resistance | 10 | | <p>In evaluation criteria how you evaluate following points:-</p> <p>B) Design, durability & serviceability</p> <p>C) Maintenance strategy and manpower deployment</p> <p>D) How would you evaluate experience</p> | <p>The evaluation criteria explained in details. No change is required except for Part ‘D’ regarding the experience of similar work. The clause 2.5.1 (D) (for Evaluation of Technical Bid) is modified and is given at serial no. 3 above</p> |
| S. No. | Parameters / Particulars | Maximum Marks | Marks Obtained | | | | | | | | | | | | | | | | | | | | | | | | |
| A | Safety Standard and Quality Certification (25) | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | <ul style="list-style-type: none"> Outdoor Fitness Equipment shall be confirmed to DIN / ASTM / European Standard / BIS, etc. Outdoor Fitness Equipments shall be manufactured from ISO:9001 / ISO:14001 certified company. Third Party Certification by International Agency such as IPEMA, TUV, CPSC etc. for independent safety testing and certification. | 10 | | | | | | | | | | | | | | | | | | | | | | | | | |
| B | Design, durability & serviceability (25) | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Material and reliable resistance mechanics | 5 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Design, aesthetics, Vandalism proof Design and weather resistance | 10 | | | | | | | | | | | | | | | | | | | | | | | | | |

| S. No. | Queries to RFP clause | Suggestions / Clarification | Reply | | | | | | | | | | | | | | | | | | |
|--|--|--|---------------------------------------|--|--|--|--|--|-----------------------------|--|--|--|--|--|------------------------------|--|----------------------|------------|--|--|--|
| | <table border="1"> <tr> <td data-bbox="322 225 792 368">Instructional signage and features in QR codes that user can scan with a smart phone to watch instructional information's.</td> <td data-bbox="792 225 913 368">10</td> <td data-bbox="913 225 1039 368"></td> </tr> <tr> <td data-bbox="322 368 792 448">C Maintenance Strategy and Manpower deployment (25)</td> <td data-bbox="792 368 913 448"></td> <td data-bbox="913 368 1039 448"></td> </tr> <tr> <td data-bbox="322 448 792 715"> <ul style="list-style-type: none"> Weekly (10) / Monthly (8) / Quarterly (6) Complaint Redress System including replacement of parts in a day (8) / two day(6) / three day (4) Exclusive Manpower deployed to the project (Minimum Two) </td> <td data-bbox="792 448 913 715"> <p>10</p> <p>8</p> <p>7</p> </td> <td data-bbox="913 448 1039 715"></td> </tr> <tr> <td data-bbox="322 715 792 826">D Experience of executing similar works of outdoor fitness equipment in last three years (25)</td> <td data-bbox="792 715 913 826"></td> <td data-bbox="913 715 1039 826"></td> </tr> <tr> <td data-bbox="322 826 792 1241"> <ul style="list-style-type: none"> Number of similar outdoor fitness equipment installed in India / Abroad and number of works carried out Average turnover from similar outdoor fitness equipments (10) <ul style="list-style-type: none"> ≥ 5 Crore (10) ≥ 2 Crore (6) Number of Annual Maintenance work for outdoor fitness equipment more than three years old </td> <td data-bbox="792 826 913 1241"> <p>10</p> <p>10</p> <p>5</p> </td> <td data-bbox="913 826 1039 1241"></td> </tr> <tr> <td data-bbox="322 1241 792 1315" style="text-align: right;">A+B+C+D Total</td> <td data-bbox="792 1241 913 1315">100</td> <td data-bbox="913 1241 1039 1315"></td> </tr> </table> | Instructional signage and features in QR codes that user can scan with a smart phone to watch instructional information's. | 10 | | C Maintenance Strategy and Manpower deployment (25) | | | <ul style="list-style-type: none"> Weekly (10) / Monthly (8) / Quarterly (6) Complaint Redress System including replacement of parts in a day (8) / two day(6) / three day (4) Exclusive Manpower deployed to the project (Minimum Two) | <p>10</p> <p>8</p> <p>7</p> | | D Experience of executing similar works of outdoor fitness equipment in last three years (25) | | | <ul style="list-style-type: none"> Number of similar outdoor fitness equipment installed in India / Abroad and number of works carried out Average turnover from similar outdoor fitness equipments (10) <ul style="list-style-type: none"> ≥ 5 Crore (10) ≥ 2 Crore (6) Number of Annual Maintenance work for outdoor fitness equipment more than three years old | <p>10</p> <p>10</p> <p>5</p> | | A+B+C+D Total | 100 | | | |
| Instructional signage and features in QR codes that user can scan with a smart phone to watch instructional information's. | 10 | | | | | | | | | | | | | | | | | | | | |
| C Maintenance Strategy and Manpower deployment (25) | | | | | | | | | | | | | | | | | | | | | |
| <ul style="list-style-type: none"> Weekly (10) / Monthly (8) / Quarterly (6) Complaint Redress System including replacement of parts in a day (8) / two day(6) / three day (4) Exclusive Manpower deployed to the project (Minimum Two) | <p>10</p> <p>8</p> <p>7</p> | | | | | | | | | | | | | | | | | | | | |
| D Experience of executing similar works of outdoor fitness equipment in last three years (25) | | | | | | | | | | | | | | | | | | | | | |
| <ul style="list-style-type: none"> Number of similar outdoor fitness equipment installed in India / Abroad and number of works carried out Average turnover from similar outdoor fitness equipments (10) <ul style="list-style-type: none"> ≥ 5 Crore (10) ≥ 2 Crore (6) Number of Annual Maintenance work for outdoor fitness equipment more than three years old | <p>10</p> <p>10</p> <p>5</p> | | | | | | | | | | | | | | | | | | | | |
| A+B+C+D Total | 100 | | | | | | | | | | | | | | | | | | | | |
| 30 | Point 2.7.3 INSTALLATION OF OUTDOOR FITNESS | How the bidder should evaluate | Already explained at Sl. No. 4 above. | | | | | | | | | | | | | | | | | | |

| S. o. | Queries to RFP clause | Suggestions / Clarification | Reply |
|--|--|--|---|
| | EQUIPMENT ON STRONG FOUNDATION. <i>“The structural design of the cement concrete foundation of all the outdoor fitness equipment shall be vetted from reputed institutions like IIT’s DTU, NCB-Ballabgarh etc”.</i> | cement concrete foundation? | |
| 31 | Point 2.7.4 INSTALLATION OF OUTDOOR FITNESS EQUIPMENT ON STRONG FOUNDATION. <i>“After the installation of the outdoor fitness equipment, a safety certificate is to issued by the Third Party Quality Assurance agency or reputed approved agency for certification for safety installation of outdoor fitness equipment for open area for general public and the equipments are installed as per the required standard / specification of the manufacturer”.</i> | If we submit the quality certificates issued by third party for safety standards then why again NDMC asking for certificate or test report of equipment. | Already explained at Sl. No. 5 above. |
| Grand Slam Fitness Pvt. Ltd. (Reference letter dated 13.12.2015). | | | |
| 32 | 2.5 Evaluation of Technical Bid 2.5.1. (B) Design, durability &serviceability (25) | Design, durability and serviceability – 5 marks have been allocated to material and reliable resistance mechanics and for 10 marks to design and aesthetics. What is the criterion | Already explained at Sl . No. 29 above. |
| | Material and reliable resistance mechanics -5 | for evaluation for these parameters | |

| S. o. | Queries to RFP clause | Suggestions / Clarification | Reply |
|----------|---|---|---|
| | Design, aesthetics, Vandalism proof Design and weather resistance - 10. | and as bidders what documentation do we have to provide for correct assessment? | |
| | Instructional signage and features in QR codes that user can scan with a smart phone to watch instructional Information's. - 10 | | |
| 33 | Refer Annexure-9 Name of equipment with symbolic pictures mentioned at Annexure-6 Outdoor fitness equipments | There are several discrepancies in the photographs provided and the names of the equipment as per Annexure-9. Please suggest are we to follow the nomenclature or the photograph for the following items: | The observations / suggestions are accepted and necessary corrections have been made in the corresponding equipment / reference in Annexure-9 and Annexure-6 as per detail below: |
| | (iii) Air swing/ waist twister | (iii) Air swing/ waist twister- Photo of double twister | (iii) Waist twister for 2 person |
| | (v) Stair stepper / glider / elliptical cross trainer | (v) Stair stepper / glider / elliptical cross trainer – Photo of double leg press. | (v) Double leg press |
| | (vi) Push n pull up chair / pull down challenger | (vi) Push n pull up chair / pull down challenger- double – which machine is required? | (vi) Puli down challenger- double |
| | (viii) Rowing / horse / self weighted rower | (viii) The equipment name needs | (viii) Rowing / self weighted rower. |

| S. o. | Queries to RFP clause | Suggestions / Clarification | Reply |
|--|--|---|--|
| | | clarification. | |
| | (ix) Seated chest press | (ix) Seated chest press – Photo of lying down bench press. | (ix) Seated chest press double chair- Pictorial view deleted |
| 34 | | PLEASE NOTE NONE OF THE PHYSICAL DIMENSIONS HAVE BEEN PROVIDED. How will NDMC differentiate between two bidders if there are no criteria of dimensions to meet? The equipment size with 10% variation must be provided. | The general specifications are already defined in Schedule – B. |
| Other Observations Raised During Pre-Bid Meeting. | | | |
| 35 | Refer clause 2.9.2 Single line lay out plan of the location, where equipments are to be installed | Clarification was sought on the matter. | It was clarified that the basic purpose is to ascertain the safe circulation area required for installation of each and every equipment. It was decided to submit the details as per their own format / requirement. |
| 36 | Refer clause 2.9.6 safety and security measures 2.9.6 (a) The successful bidder / Contractor shall be solely responsible and liable, at his own cost, for all maintenance, upkeep and repairs of the equipments and | The clarification was sought to define the completion of the work up to which the rectification of defect is required to be done. | The completion time for the project is 5 years. Therefore, the rectification of defects is required to be done up to the period of 5 years after successful implementation of the work. |

| S. | Queries to RFP clause | Suggestions / Clarification | Reply |
|----|--|---|--|
| | its entire components upto completion of the work. The contractor shall also carry out rectification of defects in the design or construction of any component of the works at its own cost up to completion of project. | | |
| 37 | Refer Annexure-3 at Page-36 | It was pointed out that the format is not defined for submission of information mentioned there in. | It was clarified that the requisite information is to be provided as defined in Annexure-3. The Bidder may provide the complete information as per their own format. |

This issued with the prior approval of the Competent Authority.

W.P.
21/12/15

(Er. W. Parashar)
EE (CP)

Copy to:-

1. CE(C)-I
2. SE(CP)
3. AAO(CP)
4. PS to Chairperson
5. PS to Secretary
6. Individual participants
7. Corrigendum on website/ Delhi Govt. website